

ARCHITECTURAL DESIGN APPLICATION

NAME OF OWNER(S):					
ADDRESS OF RESIDENCE:	HOME PHONE: (970)				
WORK:E-N	E-MAIL:				
Please indicate the type of improvement: (Mark	with an X)				
LandscapingDeck/Patio Slab Fer		Drive/Walk Addition	Shed Painting Roofing		
		-			
Other (please explain):					
Please briefly describe improvement below: Sketches	DESPCRIPTION OF PROPOS		o this form, as applicable:		
Applicant agrees and understands that submittal of this appl completed Architectural Design Application for, the applican materials, and locations of the proposed landscaping or arch materials or "information cut sheets" from the manufacture structure. The submission must be in writing and this copy we should be retained for proof of submittal and approval of plasmake a decision. Until all of the Committee's questions are a incomplete and the application will stand unapproved. Applicant further agrees and understands that in Construction" on the approved work. Any special conditions special conditions shall cause the approval to terminate and this final completion approval can be obtained. It is further agreed that, in the event the application responsibility of the Owner. All work shall be initiated with concessary permits and approvals from municipalities or other inspection must be complied with and evidence of said inspection must be complied with and evidence of said inspection and your neighbor's lots. Applicant agrees to maintain mind side lot setbacks and all utility easements. Remov	It must submit a set of plans and ditectural alteration. All proposed in the committee and the article and the apart of the committee and	specifications showing the nastructures should include eit lude the location of the impros's records. The approval letter imittee may require additionarmation is submitted to the Comproves the modification that if the approval, any deviation equired to notify the Committer repair, or replacement of the chetics, timing and noise factors of the experimental properties of the application of the experimental properties of the proper drains to the proper drains to the when installing landscapes.	ature, species, kind, shape, height, color, ther elevation drawing with dimensions and overment in relation to the lot line and er, when received from the Committee, al information as it deems necessary to committee, the application will be deemed they may impose "Special Conditions of from the approved plans, specifications or tee when your work is completed so that e approved item will be the sole ors. Applicant understands that all licant and that approval. Requirements for fithe work. This approval does not apply to age of both irrigation and storm drainage of e or building improvements, while keeping		
Metro District landscaping is not allowed for					
District property. Reminder: Keep landscaping of trees					
maintenance and staining of the fence.	and sin abs at least 5 leet aw	ray from District felice. In	ie District has to have room for		
Approved work must be completed within 9 mont	ths of approval, or you must re-si	ubmit and pay review fees, w	hen required.		
THE UNDERSIG	NED UNDERSTANDS AND AC	GREES TO THE ABOVE CON	NDITIONS:		
	Mail, fax and or scan/e-ma	ail to the Districts.			
Fax: (970) 22	25-0054 or e-mail: manager@		ict.com		
Owner's Signature:	Date:		Print Name:		
For Committee Use:					
Approval: Denied:	Approved upon				

REQUIREMENTS FOR ARCHITECTURAL DESIGN REVIEW

	TE APPLICATION FORM (A	3.883.03.834.03.03.893.00.03.€
2. TWO (2) 5	SETS OF COMPLETE PLAN	S AND SPECIFICATIONS (1/8" OR ¼" SCALE) ILLISTRATING THE FOLLOWING:
А.	1. R	WITH EXTERIOR DESIGN INCLUDING EXTERIOR HEIGHT. OOF PITCH MUST BE BETWEEN 6/12 AND 12/12. PORCHES AND SHED ELEMENTS MAY HAVE ROOF PITCHES AS LOW AS /12. ANY RESIDENTIAL PLAN SHOULD BE DESIGNED TO LOOK ATTRACTIVE FROM ALL FOUR SIDES. MUTIPLE ROOF ITCHES AND PLANE CHANGES ARE ENCOURAGED.
В.	COLORED RENDERING	AND MATERIAL PALLET OF EXTERIOR MATERIALS AND COLOR(S).
	1	
	2	. MASONARY ACCENTS ARE RESTRICTED TO STONE, BRICK OR STUCCO (WITH NO ROTTLED PATTERNS) SHALL HAVE THE FOLLOWING REQUIREMENTS:
		a. MASONARY ACCENTS SHALL BE MANDATORY ON THE FRONT ELEVATION OF ANY RESIDENCE AT A MINIMUM OF 20%
		b. STONE OR BRICK USED ON THE FRONT ELEVATIONS SHALL BE EXTENDED A MINIMUM OF TWO (2) FEET ON BOTH SIDES OF THE RESIDENCE AT THE SAME HEIGHT AS THE BRICK OR STONE ON THE FRONT.
		c. LAP BOARD SIDING MUST BE A MAXIMUM EXPOSED BOARD WIDTH OF 9 INCHES. ALL FASCIAS SHALL BE A MINIMUM OF 12 INCHES.
	3	TILE OR METAL ROOFS MAY BE APPROVED BY THE ACC PROVIDED SUCH MATERIALS ARE NECESSARY TO THE ARCHITEDTURAL STYLE OF THE RESIDENCE AND ARE AN APPROVED COLOR. STANDARD ASPHALT SHINGLES ARE
	4.	NOT ACCEPTABLE.
c.	FLOOR PLANS.	·
		THE TOTAL SQUARE FEET OF RESIDENCE IS (Plans must include area calculations by Architect) IN FILING 1 (SUMMERFIELDS), MINIMUM LIVING AREA EXCLUSIVE OF GARAGES, BALCONIES, PATIOS, PORCHES SHALL BE 1600 SQUARE FOR A RANCH FLOOR PLAN AND 1800 SQUARE FEET FOR A MULTI-LEVEL PLAN. FILING 2 THE PRESERVE, SHALL BE 1900 SQUARE FEET FOR A RANCH FLOOR PLAN AND 2300 SQUARE FEET FOR A MULTI-LEVEL PLAN
D.	IMPROVEMENT P	LANS SHOWING ALL LOCATIONS OF THE FOLLOWING:
	1	LANDSCAPING PLAN. ASTROTURF IS PROHIBITED.
	2	FENCE PLAN SHOWING LOCATION, MATERIALS, AND HEIGHT. USE APPROVED STAIN: KWAL #9503 Traditional Russet (water based stain). Store # 11-310 F.C
	3	NO SCREENING OR FENCING SHALL EXCEED FIVE (5) FEET IN HEIGHT. ANY FENCES CONSTRUCTED ON A LOT SHALL BE MAINTAINED BY THE OWNERS OF SUCH LOT. NO CLOTHESLINES, DRYING YARDS, SERVICES YARDS, WOOD PILES, STORAGE AREAS OR CHAIN-LINKED (OR OTHER) DOG RUNS, SHALL BE SO LOATRED AS TO BE VISIBLE FROM A STREET OR FROM THE GROUND LEVEL OF ANY LOT. DOG RUNS SHALL NOT BE LOCATED WITHIN FIVE (5) FEET FROM ANY PROPERTY LINE, AND SHALL BE SCREENED BY APPROVED MATERIALS SO THAT THE DOG THEREIN IS NOT VISIBLE FROM NEIGHBORING LOTS. "INVISIBLE" ELECTRIC FENCES SHALL GENERALLY BE PERMITTED ALONG PROPERTY LINES.
	4.	DRIVEWAYS PLANS SHOWING LOCATION SIZE
	5.	SHED PLANS (No Larger than 10' x 12' x 8' 6"- Keep in mind 5' off set from PL)
	6	. WALLS AND WINDBREAKS IMPROVEMENTS PLANS SHOWING LOCATIONS AND SIZE
	7.	HOWEOWNER OR CONTRACTOR CAN NOT TAKE DOWN SOUTH TIMNATH METRO DISTRICT FENCING FOR ACCESS TO YARD.
	8.	HOMEOWNER OR CONTRACTOR CAN NOT DRIVE ACROSS SOUTH TIMNATH METRO DISTRICT LANDSCAPE FOR ACCESS TO YARD

a. BASKETBALL HOOPS – NO BASKETBALL HOOPS MAY BE ATTACHED TO A RESIDENCE OR GARAGE. SUBJECT TO ARC APPROVAL, CERTAIN BASKETBALL HOOPS MAY BE INSTALLED ON A PERMANENT FREE STANDING POLE ALONG THE DRIVEWAY BETWEEN THE SIDEWALK AND THE RESIDENCE.
b. PORTABLE BASKETBALL HOOPS ARE PROHIBITED UNLESS THEY ARE STORED INSIDE AN ENCLOSED GARAGE WHEN NOT IN USE. (May 1st through October 15th ok to leave in driveway- In Guidelines) c. HVAC. NO TYPES OF REFRIGERATION, COOLING OR HEATING APPARATUS SHALL BE PERMITTED ON A ROOF. NO SUCH APPARATUS SHALL BE PERMITTED ELSEWHERE EXCEPT WHEN APPROPRIATELY SCREENED FROM VIEW OF ADJACENT PROPERTY OWNERS AND APPROVED BY THE ARC. SUCH APPARATUS SHOULD BE INSTALLED IN A WAY THAT NOISE HEARD FROM ADJACENT PROPERTIES IS MINIMIZED. WITHOUT LIMITING THE FOREGOING, CONVENTIONAL AIR CONDITIONING UNITS

LOCATED ON THE GROUND OF A LOT ARE PERMISSIBLE WHEN APPROVED BY THE ARC IN ACCORDANCE WITH THE PRECEDING SENTENCE.

- d. **ANTENNA**. EXCEPT AS MAY OTHERWISE BE PERMITTED BY THE ARC, NO EXTERIOR RADIO ANTENNA, TELEVISION ANTENNA, OR OTHER ANTENNA, OR AUDIO OR VISUAL RECEPTION DEVICE OF ANY TYPE SHALL BE PLACES, ERECTED OR MAINTAINED, EXCEPT INSIDE A RESIDENCE OR OTHERWISE CONCEALED FROM VIEW.
- e. **WIND GENERATORS**. NO WIND GENERATORS SHALL BE CONSTRUCTED, INSTALLED, ERECTED, OR MAINTAINED.
- f. **BIRD HOUSES AND FEEDERS**. ARC APPROVAL IS NOT REQUIRED IF LIMITED TO 1 FOOT BY 2 FEET AND IF NOT MORE THAN TWO (2) IN NUMBER ARE INSTALLED ON ANY LOT. A BIRDHOUSE OR BIRDFEEDER MAY NOT BE ATTACHED TO THE **SOUTH TIMNATH METRO DISTRICT FENCE**.

E.	PLOT PLAN
F.	FOUNDATION AND ENGINEERING PLAN
G.	GRADING PLAN
Н.	IDENTIFY OTHER ITEMS:
I.	LETTER OF AUTHORIZATION FROM THE PROPERTY OWNER IF DIFFERENT FROM APPLICANT.

NOTICE TO APPLICANTS:

- 1. IN ADDITION TO **SOUTH TIMNATH METRO DISTRICT** ARC'S REVIEW AND APPROVALS, THE CONSTRUCTION, ERECTION, ADDTION, DELETION, CHANGE OR INSTALLATION OF ANY IMPROVEMENTS SHALL ALSO REQUIRE THE APPLICANT TO OBTAIN THE APPROVAL OF ALL GOVERNMENTAL ENTITIES WITH JURISDICTION THEREOVER, AND ISSUANCE OF ALL REQUIRED PERMITS, LICENSES, AND APPROVALS BY ALL SUCH ENTITIES. WITHOUT LIMITING THE GENERALITY OF THE PRECEDING SENTENCE, ISSUANCE OF BUILDING PERMIT(S) BY THE APPLICABLE GOVERNMENTAL ENTITY, IF REQUIRED, SHALL BE A PRECONDITION TO COMMENCEMENT OF ANY CONSTRUCTION OF, ALTERATION OF, ADDITION TO OR CHANGE IN ANY IMPROVEMENT.
- THIS APPROVAL DOES NOT APPLY TO DRAINAGE FROM YOUR LOT OR NEIGHBORING LOTS. QUALIFIED INDIVIDUALS SHOULD
 MAKE CAREFUL STUDY PERTAINING TO THE PROPER DRAINAGE OF BOTH IRRIGATION AND STORM DRAINAGE OF YOUR LOT
 AND YOUR NEIGHBOR'S LOTS.
- 3. APPLICANT AGREES TO MAINTAIN PROPER DRAINAGE SWALES ON THE LOT WHEN INSTALLING LANDSCAPE OR BUILDING IMPROVEMENTS.
- 4. HOWEOWNER OR CONTRACTOR CAN NOT TAKE DOWN SOUTH TIMNATH METRO DISTRICT FENCING FOR ACCESS TO YARD.
- 5. HOMEOWNER OR CONTRACTOR CAN NOT DRIVE ACROSS SOUTH TIMNATH METRO DICTICT LANDSCAPE FOR ACCESS TO YARD
- 6. ALL CORRESPONDENCE AND REPORTS WILL BE MAILED TO THE APPLICANT OR E-MAIL.
- 7. IF YOU HAVE ANY QUESTIONS REGARDING THE ABOVE, PLEASE CONTACT: **SOUTH TIMNATH METRO DISTRICT, PHONE: 970-225-1515 * FAX: 970-225-0054 * manager@southtimnathmetrodistrict.com**
- 8. UPON THE COMPLETION OF IMPROVEMENT, APPLICANT HEREBY AUTHORIZES THE ARC AND/OR ANYONE WITH **SOUTH TIMNATH METRO DISTRICT** TO ENTER ONTO PROPERTY FOR EXTERIOR INSPECTION AT A MUTUALLY AGREED UPON TIME.